APR-14-2003 MON 02:11 PM SENNIGER POWERS LEAVITT

KCC 4776 (K-C 17,047)

(Cancelled) Claims 1-24

(Original) A laminated structure comprising: 25.

a body having a peripheral edge, a first side, and a second side opposite said first side;

an adhesive coating applied to said first side of the body permitting a user to attach said body to/a preselected surface; and

a covering removably attached to the adhesive coating to prevent attachment of the body before the user removes the covering from the adhesive coating, said covering having a size and shape selected for covering at least a portion of the adhesive coating when attached to the adhesive coating, a release side for contacting the adhesive coating when the covering is attached to the coating, and a message side opposite said release side:

wherein said message side of the covering includes indicia directed to communicating a message to the user related to at least one of motivating the user, extertaining the user, educating the user and inspiring the user.

- (New) A laminated structure as set forth in claim 25 26. wherein said body is an absorbent body.
- (New) A laminated structure as set forth in claim 26 27. wherein said/message side of the covering is substantially free of messages /related to using the laminated structure.
- 28. (New) A laminated structure as set forth in claim 27 wherein:

KCC 4776 (K-C 17,047) PATENT

said laminated structure is a first laminated structure; said first laminated structure is grouped with a second laminated structure; and

said first and second laminated structures are received in a container.

- (New) A laminated/structure as set forth in claim 28 29. wherein said second laminated structure is substantially identical to said first laminated structure.
- (New) A laminated structure as set forth in claim 28 30. wherein the container includes a message related to using the laminated structure.
- (New) A laminated structure as set forth in claim 30 31. wherein the message/related to using the laminated structure is printed on an exterior of the container.
- (New) A laminated structure as set forth in claim 26 32. wherein said message side of the covering is substantially free of messages related to designating a source of the laminated structure.
- (New) A laminated structure as set forth in claim 32 33. wherein:

said laminated structure is a first laminated structure; said first laminated structure is grouped with a second laminated structure; and

said first and second laminated structures are received in a container.

KCC 4776 (K-C 17,047)
PATENT

34. (New) A laminated structure as set forth in claim 33 wherein said second laminated structure is substantially identical to said first laminated structure.

ant

- 35. (New) A laminated structure as set forth in claim 33 wherein the container includes a message related to using the laminated structure.
- 36. (New) A laminated structure as set forth in claim 34 wherein the message related to using the laminated structure is printed on an exterior of the container.
- 37. (New) A laminated structure as set forth in claim 26 wherein the laminated structure is a feminine napkin.